



COMMERCIAL & INSTITUTIONAL
LIGHTING RANGE



PRICE LIST 2022

wef: 15th Feb, 2022



Our 30-year journey in lights is now no longer about just lights. At Wipro Lighting, we believe that innovation is in our DNA. From setting new benchmarks in landscape lighting, to being the first lighting company to be associated with the green movement; to launching a unique concept in ULTRARAY™ which protects employee health and wellness; to so much more. Its lighting that does far more than ordinary lighting is capable of. Far more than most envision lights can do.

Our customer-centric approach to solutioning has been our biggest inspiration to innovate. Today, Wipro Lighting provides best-in-class commercial and institutional lighting solutions.

The ever-evolving Wipro Lighting range includes:



HIGH EFFICIENCY
LED LUMINAIRES



LIGHTING
MANAGEMENT
SYSTEMS



LIGHTING FOR
GREEN BUILDINGS



HIGH EFFICACY
SOLUTIONS FOR
INDUSTRIAL LIGHTING



COMPLETE OUTDOOR
STREETLIGHT &
FLOODLIGHT RANGE

The **Internet of Lighting (IoL)**[®] platform by Wipro Lighting provides comprehensive, smart & connected lighting solutions, for indoor and outdoor lighting applications.

Our continued efforts towards lighting solutions for the WELLNESS of people, have enabled us to launch **ULTRARAY**[™], a one-of-its-kind UV light luminaire range in India. It is a solution that complements the current protection measures.

Wipro Lighting is proud to be the leader in lighting green buildings. In fact, we have a 55% share in the category. We are committed to lead the transition to a greener approach for all development, to create possibilities for a brighter future and a cleaner planet.

inForm[™]

inSync[™]

ULTRARAY[™]



A Wipro Brand

Internet of Lighting (IoL)[®] is our step in the direction of offering customers best-in-class solutions in lighting and beyond. It is Wipro Lighting's platform on which lighting and technology confluence.

TECHNOLOGIES



Power over Ethernet
(PoE)
based Solutions



Smart &
Connected
Outdoors



Bluetooth
Low Energy (BLE)



Smart &
Connected
Spaces



Li-Fi based
Technology
Solutions

Wipro Lighting's alliances, with international technology companies, have made its offerings a major differentiator and has evoked a revolution in work lives.

We have collaborated with Cisco for Power over Ethernet (PoE) based lighting solutions and Human Centric lighting solutions for new age workspaces, enabling improvement in workspace productivity and enhanced employee wellbeing.

Our partnership with pure Li-Fi, Scotland, will deliver high speed and secure data transmission through LED luminaires.

We have entered into partnership agreement with 3 prestigious technology brands - Igor, USA for its Smart & Connected lighting products; with Schreder, Belgium, for premium and latest IoT based outdoor solutions; and with Mapiq, Netherlands, for smart workplace solutions.




In partnership with
Schröder
Experts in lightability™

INDEX




Modern Workspaces Recessed: **05**
Skyscale: **11**
Modern Workspaces Suspended: **15**
X-RAIL: **27**
Commercial Interiors: **31**
Inform™: **37**
inSync: **47**
Lighting Controls: **53**
UltraRay: **59**




Cleanroom & Sterile Areas: **63**
Manufacturing Plants
& Industries: **67**



Outdoor Lighting: **73**
Street Lighting: **75**
Area Lighting: **78**
Landscape Lighting: **81**
Arcus: **85**



Solarise: **93**



Phased-out Products: **96**
Terms and Conditions: **98**
Branch Offices: **Inside back**



wipro lighting

MODERN WORKSPACES



Lighting for employee wellbeing and productivity

The workplace design intent is changing globally and the Indian market has also undergone a radical change. Organizations are looking at creating spaces which go beyond the traditional definition of an office. Spaces that enhance a sense of belonging, help productivity and give a general sense of wellbeing. An interplay of modern design sensibilities and human-centric technology is at the heart of this approach.



RECESSED
LUMINAIRE RANGE




Opus | LM 38

Opus is a high efficiency, elegant, fluidic, and modern in design LED luminaire, with a unique, floating, spherical diffuser and surrounding light chamber, that subtly introduces a circular geometry into the ceiling plane.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM38-361-XXX-57-XX	32W	5700	₹11,850
LM38-461-XXX-57-XX	34W	5700	₹12,550
LM38-461-XXX-4057	34W	4000-5700	₹15,890

- LM38-461-XXX-4057 is a unique luminaire which has dual color CCT, available in a single luminaire.
- Also available in, Analog/DALI dimmable and white color tunable.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.




Verge | LM 29

Our high efficiency recess mounted luminaire with its minimalistic design integrates into the ceiling creating a unique volumetric lighting experience.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM29-451-XXX-57-XX	33W	5700	₹8,050
LM29-451-XXX-57RCC	33W	5700	₹8,750
LM29-451-XXX-57GRD	33W	5700	₹8,850

- Also available in 4000K CCT, Analog/DALI dimmable and white color tunable.
- RCC suffix denotes suspension mounting for RCC ceiling. GRD suffix denotes suspension mounting for modular ceiling.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.

wipro lighting



Elate | CRCO10

Recessed/surfaced mounted LED luminaire with higher efficacy, full diffuser providing uniform light.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R038HP57GL1	36W	5700	₹6,390
CRCO10R038HP57G1L1	36W	5700	₹6,390
CRCO10S038HP57GL1	36W	5700	₹6,750

- 'R' represents recess and 'S' represents surface, mounting. Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.




Immaculate Plus | CRCO10

High efficient luminaire with 120 Lm/W efficacy helps in power saving and cost saving.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R020HP57HEG2	20W	5700	₹7,250
CRCO10R024HP57HEG2	24W	5700	₹7,950
CRCO10R030HP57HEG2	30W	5700	₹8,450
CRCO10R036HP57HEG2	36W	5700	₹9,050

- Also available in 4000K CCT, Analog/DALI dimmable and white colour tunable options.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.




Immaculate Trimless | CRCO10

Immaculate Trimless, with its unique frameless design, blends with the ceiling minimizing the clutter, giving a distinct new look to modern offices.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R024HP57TLG2	24W	5700	₹7,350
CRCO10R038HP57TLG2	30W	5700	₹7,790
CRCO10R036HP57TLG2	36W	5700	₹8,190

- Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling.
- Catalogue no. for frame is 9180P01089 LP ₹1290 | Cutout dimension: 608 mm x 608 mm.



Immaculate Smart | CRCO10

Smart lighting solution with inbuilt PIR sensors to control the lighting, as per occupancy and daylight, leading to reduced power consumption and higher energy savings.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R030TL57UGSN	30W	5700	₹15,490

- Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.



Immaculate Soft | CRCO10

Revolutionary anti-glare luminaire, Immaculate Soft, with UGR<19, helps to eliminate glare in the workplaces, creating a visually pleasing and cheerful environment.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R030HP57UGG2	30W	5700	₹7,790
CRCO10R036HP57UGG2	36W	5700	₹8,150
CRCO10S030HP57UGG2	30W	5700	₹8,890
CRCO10S036HP57UGG2	36W	5700	₹9,290

- Also available in 4000K CCT.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.



Immaculate | CRCO10

Fully diffused recess/surface mounted with white powder coating and CRCA front cover. HET diffuser provides uniform illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R038HP57G2	30W	5700	₹6,990
CRCO10S038HP57G2	30W	5700	₹7,090
CRCO10R036HP57G2	36W	5700	₹7,350
CRCO10S036HP57G2	36W	5700	₹7,550

- Also available in 4000K CCT, Analog/DALI dimmable and white colour tunable options.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.



Photon I LM10

Recessed mounted slimmest backlit with full tile glow.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM10-451-XXX-65-G2	36W	6500	₹5,890
LM10-451-XXX-40-G2	36W	4000	₹5,890



SKYSCALE

VISUAL INFLUENCE FOR AN
IMMERSIVE EXPERIENCE



Splendid Contemporary
Workspace Luminaire

Indulge in an immersive experience!


Skyscale - our revolutionary innovation towards bringing nature and natural light to indoor space.

Soft, soothing light to emulate that perfect outdoor scenario inside, for enhanced daylight in a large area coverage, with uniform illumination for an immersive experience!

Skyscale can be used in multiple applications – from office spaces to retail applications, to healthcare facilities, when you want to bring the purity of natural light into indoor space.



wipro lighting



Axeon Recess | LM34

Linear lighting solution for contemporary workspaces. Extruded aluminium housing with high transmissivity HET Diffuser. High transmissivity HET diffuser for standalone and seamless end-to-end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-251XXX-57RMG1	20W	5700	1200	₹9,450
LM34-251XX-57RMCG1	20W	5700	1200	₹9,550
LM34-401XXX-57RMG1	30W	5700	1200	₹10,290
LM34-401XX-57RMCG1	30W	5700	1200	₹10,750
LM34-501XXX-57RMG1	40W	5700	2400	₹16,890
LM34-501XX-57RMCG1	40W	5700	2400	₹16,990
LM34-801XXX-57RMG1	60W	5700	2400	₹19,790
LM34-801XX-57RMCG1	60W	5700	2400	₹19,890

- Also available in 4000K CCT and Black housing colour option.
- Available in 4 feet and 8 feet variants.



Aura | CRC013

Recessed/surface mounted LED 4X1 luminaire, full diffuser provides uniform light.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRC013R036HP57GL1	36W	5700	₹7,650
CRC013R038HP57GL1	30W	5700	₹7,350
CRC013S036HP57GL1	36W	5700	₹8,190
CRC013S038HP57GL1	30W	5700	₹8,090

- Cutout dimensions: 1195mm x 295mm.
- 'R' represents recess and 'S' represents surface mounting.
- Frame to be ordered separately for installation in POP/gypsum ceiling. Also available in 4000K CCT.




Lineos | LM30

Recessed linear luminaire, extruded aluminium with a satin finish PMMA diffuser for standalone and seamless end-to-end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM30-211-XXX-57-G1	20W	5700	1200	₹7,350
LM30-211XXX-57G1CT	20W	5700	1200	₹7,450
LM30-401-XXX-57-G1	30W	5700	1200	₹8,550
LM30-401XXX-57G1CT	30W	5700	1200	₹8,650

- Cutout dimensions: 1205 mm x 80 mm. Also available in 4000K CCT, Analog/DALI variants.



TZ | LM66

Recess mounted extruded aluminium housing slim luminaire, suitable for standalone and continuous TechZone ceiling. HET diffuser for uniform homogeneous light.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM66-351-XXX-57-CT	20W	5700	1200	₹10,650
LM66-531-XXX-57-XX	30W	5700	1200	₹10,750
LM66-351XXX-57UGCT	20W	5700	1200	₹11,090
LM66-531XXX-57UGXX	30W	5700	1200	₹11,390
LM66-701-XXX-57-CT	40W	5700	2400	₹20,850
LM66-102-XXX-57-XX	60W	5700	2400	₹21,550
LM66-701XXX-57UGCT	40W	5700	2400	₹21,350
LM66-102XXX-57UGXX	60W	5700	2400	₹22,750

• Also available in 4000K CCT and Analog/DALI dimmable.




MODERN WORKSPACES



Do up your offices in style

Linear profiles are best to use, when they flow with the lines in architecture. Linear lighting solution by wipro lighting, looks exciting with the connectivity options it offers. It does open a lot of avenues to experiment and play with light.



SUSPENDED
LUMINAIRES RANGE

wipro lighting




Stylus | LM43

Linear suspended luminaire with inset 12 mm profile and glare controlled beam angle, for visual balance.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-491-XXX-57-WX	30W	5700	1200	₹19,690
LM43-971-XXX-57-WX	60W	5700	2400	₹23,050
LM43-321-XXX-57-WX	20W	5700	1200	₹13,150
LM43-651-XXX-57-WX	40W	5700	2400	₹20,650
LM43-451-XXX-57-WX	30W	5700	1200	₹20,850
LM43-901-XXX-57-WX	60W	5700	2400	₹23,750

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in black housing, 4000K CCT and in continuous variant. Order suspension separately. (Refer page no. 22)



Stylus MPO | LM43

Linear profiles with micro precision optics are the most preferred option for soft glow and low glare in workspaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-491XXX-57UGWX	30W	5700	1200	₹20,750
LM43-971XXX-57UGWX	60W	5700	2400	₹27,250
LM43-451XXX-57UGWX	30W	5700	1200	₹21,290
LM43-102XXX-57UGWX	60W	5700	2400	₹27,890

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in black housing, 4000K CCT and in continuous variant. Order suspension separately. (Refer page no. 22)




Stylus Collimator Lens | LM43

Linear profiles with collimator lens are the most preferred option for the critical tasks workspace. Ideal lighting solution for green building.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-271-045-57-WX	30W	5700	1200	₹21,390
LM43-541-045-57-WX	60W	5700	2400	₹30,450

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in black housing, 4000K CCT and in continuous variant. Order suspension separately. (Refer page no. 22)



Stylus Louvres | LM43


Linear profiles with aluminium louvre are the most preferred option for those who love classics.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-451XXX-57ALWX	30W	5700	1200	₹20,750
LM43-102XXX-57ALWX	60W	5700	2400	₹27,250
LM43-491XXX-57ALWX	30W	5700	1200	₹21,350
LM43-971XXX-57ALWX	60W	5700	2400	₹27,890

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in black housing, 4000K CCT and in continuous variant. Order suspension separately. (Refer page no. 22)

wipro lighting





Stylus Angular | LM43

Unique connectors to create V, Y, L and T shape patterns with seamless connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM43-801-90L57-CTW	10W	5700	Price on Request
LM43-111-90L57-CTW	15W	5700	Price on Request
LM43-801-120V57CTW	10W	5700	Price on Request
LM43-111-120V57CTW	15W	5700	Price on Request
LM43-121-120Y57CTW	15W	5700	Price on Request
LM43-171-120Y57CTW	22W	5700	Price on Request
LM43-121-90+57CTW	15W	5700	Price on Request
LM43-161-90+57CTW	20W	5700	Price on Request
LM43-221-90+57CTW	20W	5700	Price on Request
LM43-171-90+57CTW	22W	5700	Price on Request

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in black housing, 4000K CCT and in continuous variant. Order suspension separately. (Refer page no. 22)




Stylus Nodal | LM43

Central downlight to connect linear fittings.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM43-161XXX-57SDW	10W	5700	Price on Request

- Also available in 4000K CCT and black colour housing option, Order suspension separately. (Refer page no. 22)



Stylus Asymmetric | LM43

Linear profiles with asymmetric reflector optics.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-271-A45-57-WX	20W	5700	1200	Price on Request
LM43-541-A45-57-WX	40W	5700	2400	Price on Request

- Available in 2400mm length.
- Also available in black housing, 4000K CCT and in continuous variant. Order suspension separately. (Refer page no. 22)



Stylus Surface | LM43

Linear surface luminaire with inset 12 mm profile and glare controlled beam angle for visual balance.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-321-XXX-57SWX	20W	5700	1200	Price on Request
LM43-451-XXX-57SWX	30W	5700	2400	Price on Request

- Available in 600mm, 900mm, 1200mm, 1800mm & 2400mm length.
- Also available in black housing, 4000K CCT and in continuous variant. Order suspension separately. (Refer page no. 22)




Stylus with Tracklight | LM43

Integrated tracklight with precise beam angle in linear profile.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-161-030-57-WX	10W	5700	600	Price on Request

- Also available in 4000K CCT and black colour housing option, Order suspension separately. (Refer page no. 22)



Stylus with Gimball | LM43

Integrated tracklight with precise beam angle in linear profile.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM43-701-055-57-WC	5W	5700	600	Price on Request

- Also available in black housing variant. Order suspension separately. (Refer page no. 22)





Stylus Endcap | LM34

Ensure perfect locking.

Catalogue Reference No.	LP ₹
LM43M06A-MTG-WH	₹690




Axeon+ | LM34 (Unidirectional: Down)

Linear lighting solution with extruded aluminium housing and high transmissivity HET/UGR diffuser, for standalone and continuous variant.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-251-XXX-57WG2	20W	5700	1200	₹12,190
LM34-401-XXX-57WG2	30W	5700	1200	₹13,190
LM34-501-XXX-57WG2	40W	5700	2400	₹20,350
LM34-801-XXX-57WG2	60W	5700	2400	₹21,950
Axeon+ (Unidirectional: Down) with UGR diffuser				
LM34-251-XXX57UWG2	20W	5700	1200	₹14,190
LM34-401-XXX57UWG2	30W	5700	1200	₹15,190
LM34-501-XXX57UWG2	40W	5700	2400	₹22,350
LM34-801-XXX57UWG2	60W	5700	2400	₹22,950

- Available in 600mm, 750mm, 900mm & 1800mm length.
- Also available in black housing, continuous variant, analog/DALI dimmable & 4000K CCT. Order suspension separately. (Refer page no. 22)



Axeon+ | LM34 (Bidirectional: Up/down)

Linear lighting solution with extruded aluminium housing and high transmissivity HET/UGR diffuser, for standalone and continuous variant.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-361-XXX-57WG2	30W	5700	1200	₹13590
LM34-721-XXX-57WG2	60W	5700	2400	₹22350
Axeon+ (Bidirectional: Up/down) with UGR diffuser				
LM34-361-XXX57UWG2	30W	5700	1200	₹15590
LM34-721-XXX57UWG2	60W	5700	2400	₹24350




Axeon+ Louvre | LM34 (Bidirectional: Up/down)

Linear lighting solution with extruded aluminium housing and high transmissivity HET/UGR diffuser, for standalone and continuous variant.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-361-XX57CLWG2	30W	5700	1124	Price on Request
LM34-721-XX57CLWG2	60W	5700	2247	Price on Request

• Also available in black housing, continuous variant, analog/DALI dimmable & 4000K CCT. Order suspension separately. (Refer page no. 22)




Axeon+ Angular | LM34

Unique connectors to create V, Y, L and T shape patterns with seamless connectivity

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-930-90L57WCG2	10W	5700	300	Price on Request
LM34-930-60V57WCG2	10W	5700	300	Price on Request
LM34-930-120V57WCG2	10W	5700	300	Price on Request
LM34-141-120Y57WCG2	15W	5700	300	Price on Request
LM34-930-90T57WCG2	15W	5700	300	Price on Request
LM34-930-90+57WCG2	20W	5700	300	Price on Request

Angular UGR with UGR diffuser				
LM34-93090L57UWCG2	10W	5700	300	Price on Request
LM34-93060V57UWCG2	10W	5700	300	Price on Request
LM34930120V57UWCG2	10W	5700	300	Price on Request
LM34141120Y57UWCG2	15W	5700	300	Price on Request
LM34-93090T57UWCG2	15W	5700	300	Price on Request
LM34-93090+57UWCG2	20W	5700	300	Price on Request

• Also available in black housing. (Refer page no. 22)




Lino | LM21

High performance linear lighting with high transmissivity HET/UGR diffuser and bidirectional lighting option, made of extrusion aluminium housing and screwless built end cap.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM21-351-XXX-57-WX	20W	5700	₹20,350
LM21-501-XXX-57-WX	30W	5700	₹22,650
LM21-701-XXX-57-WX	40W	5700	₹34,650
LM21-102-XXX-57-WX	60W	5700	₹39,990
LM21-351XXX-57UGWX	20W	5700	₹22,350
LM21-501XXX-57UGWX	30W	5700	₹24,650
LM21-701XXX-57UGWX	40W	5700	₹36,650
LM21-102XXX-57UGWX	60W	5700	₹41,990

• Also available in 4000K CCT, Up/down lights (70%-30%) continuous variant, DALI dimmable, and black colour housing option. Order suspension separately.

• Mentioned in suspensions section on page number 23



Aslimline | LM77


Slimmest suspended luminaire with efficient LEDs and edge-lit optics, for contemporary workspaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM77-441-XXX-57-V1	32W	5700	₹15,050

Aslimline with UGR diffuser

LM77-441-XXX-57UGV1	32W	5700	₹17,690
---------------------	-----	------	---------

- Also available in 4000K CCT. Depth: 15mm, Width: 122mm, Order suspension separately.
- Mentioned in suspensions section on page number 23.



Aslimline - X | LM77


Slimmest suspended luminaire with efficient LEDs and edge-lit optics for contemporary workspaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM77-521-XXX-57-V1	32W	5700	₹18,750

Aslimline -X with UGR diffuser

LM77-521-XXX-57UGV1	32W	5700	₹20,090
---------------------	-----	------	---------

- Also available in 4000K CCT. Depth: 15mm, Width: 180mm, Order suspension separately.
- Mentioned in suspensions section on page number 23



OnAir | LM44

Sleek and seamless linear with low glare, bi-directional light distribution, blends well with modern office architectural designs.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM44-501-XXX-57-WX	30W	5700	₹25,590
LM44-701-XXX-57-WX	38W	5700	₹25,790

OnAir with UGR diffuser

LM44-501-XXX57UGWX	30W	5700	₹27,650
--------------------	-----	------	---------

- Also available in 4000K
- Suspension to be ordered separately



OnAir Flush I LM44


Sleek and seamless linear with flush diffuser, bi-directional light distribution, blends well with modern office architectural designs.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM44F501-XXX-57-WX	30W	5700	₹25,590
LM44F701-XXX-57-WX	38W	5700	₹25,790

OnAir flush with UGR diffuser

LM44F501-XXX57UGWX	30W	5700	₹27,650
LM44F701-XXX57UGWX	38W	5700	₹27,990

- Also available in 4000K
- Suspension to be ordered separately




Lino Louvre | LM21

High performance linear lighting with white cross louvres and bidirectional illumination, made of extrusion aluminium housing and screwless built end cap.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM21-501-XXX57ELWX	30W	5700	₹24,650
LM21-102-XXX57ELWX	60W	5700	₹38,750

- Also available in 4000K CCT, Up/down lights (70%-30%) continuous variant, DALI dimmable, and black colour housing option. Order suspension separately.
- Mentioned in suspensions section on page number 23.



Lineos | LM31

Linear suspended luminaire, housing made of extruded aluminium with a satin finish HET diffuser, for standalone and seamless end-to-end connectivity.

Catalogue Reference No. (W)	Wattage (K)	CCT (mm)	Length	LP ₹
LM31-211-XXX-57WG1	20W	5700	1200	₹8,450
LM31-211-XXX-57WCG1	20W	5700	1200	₹8,550
LM31-401-XXX-57WG1	30W	5700	1200	₹8,950
LM31-401XXX-57WCG1	30W	5700	1200	₹9,050
LM31-421-XXX-57WG1	40W	5700	2400	₹16,050
LM31-421XXX-57WCG1	40W	5700	2400	₹16,150
LM31-801-XXX-57WG1	60W	5700	2400	₹18,450
LM31-801XXX-57WCG1	60W	5700	2400	₹18,650

- Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable and black colour housing option, Order suspension separately.
- Mentioned in suspensions section on page number 23.





Stylus Nodal suspension | LMX77

Universal suspension system with quick onsite adjustment mounting with 2 suspensions from the ceiling.

Catalogue Reference No.	Description (W)	LP ₹
LMX774	1.0 mtr. suspension suitable for installation on RCC ceiling	₹950

LMX775 1.0 mtr. suspension suitable for installation on modular grid, Prelude 24 mm ceiling system ₹1,190

LMX776	1.0 mtr. suspension suitable for installation on modular grid, Silhouette 15 mm ceiling system	₹1,590
--------	--	--------

• Also available in black housing, continuous variant, analog/DALI dimmable and 4000K CCT. Order suspension separately. (Refer page no. 22)

Suspension for Lineos | WWX86

Universal suspension system with quick onsite adjustment: mounting with 2 suspensions from ceiling.

Catalogue Reference No.	Description (W)	LP ₹
WWX861	Suitable for installation on RCC ceiling	₹850

WWX862 Suitable for installation on modular grid Prelude 24 mm Ceiling system ₹950

WWX863	Suitable for installation on modular grid Silhouette 15mm Ceiling system	₹950
--------	--	------

• Also available in black housing, continuous variant, analog/DALI dimmable and 4000K CCT. Order suspension separately. (Refer page no. 22)

Suspension for Lino and Lino Louvre | LMX21

Universal suspension system with quick onsite adjustment: mounting with 2 suspensions from the ceiling.

Catalogue Reference No.	Description (W)	LP ₹
LMX212	1.5 mtr. suspension suitable for installation on RCC ceiling	₹850

LMX213 3 mtr. suspension suitable for installation on RCC ceiling ₹950

Suspension for Stylus | LMX43

Universal suspension system with quick onsite adjustment mounting with 2 suspensions from the ceiling.

Catalogue Reference No.	Description (W)	LP ₹
LMX431	1.0 mtr. suspension suitable for installation on RCC ceiling	₹1,050

LMX432 1.0 mtr. suspension suitable for installation on modular grid, Prelude 24 mm ceiling system ₹1,150

LMX433	1.0 mtr. suspension suitable for installation on modular grid, Silhouette 15 mm ceiling system	₹1,590
--------	--	--------

LMX434 1.0 mtr. suspension suitable for installation on RCC ceiling ₹1,750

LMX435	1.0 mtr. suspension suitable for installation on modular grid, Prelude 24 mm ceiling system	₹1,150
--------	---	--------

LMX436 1.0 mtr. suspension suitable for installation on modular grid, Silhouette 15 mm ceiling system ₹690

• Also available in black housing, continuous variant, analog/DALI dimmable and 4000K CCT. Order suspension separately. (Refer page no. 22)

Suspension for Aslimline | LMX77

Universal suspension system with quick onsite adjustment: mounting with 2 suspensions from ceiling.

Catalogue Reference No.	Description (W)	LP ₹
LMX771	Suitable for installation on RCC ceiling	₹850

LMX772 Suitable for installation on modular grid Armstrong Prelude Ceiling ₹1,250

LMX773	Suitable for installation on modular grid Armstrong Silhouette Ceiling	₹1,190
--------	--	--------

• Also available in black housing, continuous variant, analog/DALI dimmable and 4000K CCT. Order suspension separately. (Refer page no. 22)

Suspension for Axeon+ | LMX34

Universal suspension system with quick onsite adjustment: mounting with 2 suspensions from the ceiling.

Catalogue Reference No.	Description (W)	LP ₹
LMX341	Suitable for installation on RCC ceiling	₹850

LMX342 Suitable for installation on modular grid Prelude 24mm Ceiling system ₹950

LMX343	Suitable for installation on modular grid Silhouette 15mm Ceiling system	₹950
--------	--	------

wipro lighting

Suspension for OnAir | LM44

Universal suspension system with quick onsite adjustment: mounting with 2 suspensions from ceiling.

Catalogue Reference No.	Description (W)	LP ₹
LMX441	1.0 mtr. suspension suitable for installation on RCC ceiling	₹1,090
LMX442	1.0 mtr. suspension suitable for installation on modular grid 24 mm Ceiling system	₹1,090
LMX443	1.0 mtr. suspension suitable for installation on modular grid 15 mm Ceiling system	₹1,090

Suspension for OnAir Flush | LM44

Universal suspension system with quick onsite adjustment: mounting with 2 suspensions from ceiling.

Catalogue Reference No.	Description (W)	LP ₹
LMX444	1.0 mtr. suspension suitable for installation on RCC ceiling	₹1,090
LMX445	1.0 mtr. suspension suitable for installation on modular grid 24 mm Ceiling system	₹1,090
LMX446	3 mtr. suspension suitable for installation on RCC ceiling grid 15 mm Ceiling system	₹1,090



X-RAIL


Modular lighting for modern workspace



Modular frame specially design to fulfill scalable application demands.



wipro lighting



Modular frame

with service integrated facility



Design

with aesthetics/ clutter free look



Rearrangement

as per demand precision



Flexibility

to select and arrange

Can select downlight as per your choice




Mollis




Halo Plus




Vertica



Track light



Catalogue Reference No.	Sub Catalogue Reference No.	Description	Quantity	Suspension required (nos.)	Approx. Weight (Kg)	Case lot
LM66R-2424-4L4C-WH	LM66R-1500-WH	Linear 1500 mm arm	04	08	3.5	2
	LM66R-450-90L-WH	Lcorner 90°, 450mm	04	08	3	2



Comfort | LW04

Extruded aluminium housing with PMMA diffuser offers personalized bidirectional up/down light for a pleasant and soothing light experience and enhanced wellbeing.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW04-411-XXX-57-XX	31W	5700	₹16,050
LW04-411-XXX-57-WS	31W	5700	₹17,290

• Code ending with WS includes wired remote.




COMMERCIAL INTERIORS



Stunning visual experiences adding vibrancy to indoor spaces.

Commercial interior design has evolved over the past few years, creating a vast difference in workspace dynamics. Lighting is an often overlooked, underappreciated, aspect of the business. In reality the right light has the ability to create a positive environment for more productivity and ultimately more profits. The colour of lighting possesses the power to enhance and influence the presentation in various areas: supermarkets, art galleries, etc. making them look more appealing to the eyes.



DOWNLIGHTS SECTION

wipro lighting



NEW

Fokus+ (Round)

Deep inset recessed COB downlight for low glare, to create the perfect ambience in the space.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD07-111-040-57-CH*	9W	5700	Price on request
LD07-111-040-57-WH*	9W	5700	Price on request
LD07-131-040-57-CH*	12W	5700	Price on request
LD07-131-040-57-WH*	12W	5700	Price on request
LD07-161-038-57-CH**	15W	5700	Price on request
LD07-161-038-57-WH**	15W	5700	Price on request
LD07-211-038-57-CH**	18W	5700	Price on request
LD07-211-038-57-WH**	18W	5700	Price on request
LD07-311-026-57-CH***	24W	5700	Price on request
LD07-311-026-57-WH***	24W	5700	Price on request
LD07-381-026-57-CH***	30W	5700	Price on request
LD07-381-026-57-WH***	30W	5700	Price on request

- Cutout diameter: *58mm | **78mm | ***98mm
- Acronyms: CH - Chrome finish trim, WH-White color finish trim.
- 026 - 26° beam angle, 038 - 38° beam angle, 040 - 40° beam angle.
- 4000K is available as a standard option. Other beam angles are available, on request.




NEW

Fokus+ (Round)

Deep inset recessed COB downlight for low glare, to create the perfect ambience in the space.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD34-151-XXX-57-XX*	12W	5700	₹4,750
LD34-171-XXX-57-XX*	15W	5700	₹4,990
LD34-221-XXX-57-XX*	18W	5700	₹5,650
LD34-251-XXX-57-XX*	20W	5700	₹5,990

- Cutout diameter: *85x85mm
- 4000K is available as a standard option. Other beam angles are available, on request.



NEW

Fokus+ Surface (square)

Fokus+ technical downlight with high performance and low glare illumination. Available in wide variations for every purpose.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD34-151-XXX-57-SM	12W	5700	₹6,850
LD34-171-XXX-57-SM	15W	5700	₹6,990
LD34-221-XXX-57-SM	18W	5700	₹7,350
LD34-251-XXX-57-SM	20W	5700	₹7,750

- 4000K is available as a standard option. Other beam angles are available, on request.



Mollis | LD06

Mollis range with high performance and efficiency.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-670-XXX-57-XX*	6W	5700	₹2,590
LD06-111-XXX-57-XX*	9W	5700	₹2,750
LD06-151-XXX-57-XX*	12W	5700	₹3,150
LD06-171-XXX-57-XX**	15W	5700	₹3,350
LD06-221-XXX-57-XX**	18W	5700	₹3,790
LD06-301-XXX-57-XX***	24W	5700	₹6,150

• Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable and black colour housing option.

• Cutout dimensions: *Ø110mm | **Ø145mm | ***Ø168mm.



Mollis X | LD06

Mollis X with high performance and efficiency, deep inset diffuser for visual comfort, IP40.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06X-670-XX-57-XX*	6W	5700	₹2,890
LD06X-111-XX-57-XX*	9W	5700	₹2,950
LD06X-151-XX-57-XX*	12W	5700	₹3,390
LD06X-171-XX-57-XX**	15W	5700	₹3,590
LD06X-221-XX-57-XX**	18W	5700	₹4,050
LD06X-301-XX-57-XX***	24W	5700	₹6,390

• Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable and black colour housing option.

• Cutout dimensions: *Ø115mm | **Ø150mm | ***Ø174mm



Mollis RF | LD06

Mollis RF with high performance and efficiency, suitable for refurbishment projects. IP40.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-151-XXX-57-RF*	12W	5700	₹3,650
LD06-171-XXX-57-RF*	15W	5700	₹3,790
LD06-221-XXX-57-RF*	18W	5700	₹3,950

• Also available in 4000K CCT, Analog/DALI dimmable, white colour tunable and black colour housing option.

• Cutout dimensions: *Ø168mm



Mollis Surface | LD06

Surface mounted downlight with high performance and efficiency.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-670XXX-57SMG1	6W	5700	₹3,050
LD06-111XXX-57SMG1	9W	5700	₹3,290
LD06-151XXX-57SMG1	12W	5700	₹3,690
LD06-171XXX-57SMG1	15W	5700	₹3,950
LD06-221XXX-57SMG1	18W	5700	₹4,450
LD06-301XXX-57SMG1	24W	5700	₹6,890

• All variants are available in 4000K CCT housing. To order, replace 57 with 40 in the above catalogue no.

wipro lighting



Helios | LD90

Recessed downlight with pressure die-cast aluminium housing for effective thermal management and HET diffuser for better performance.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD90-111-XXX-65-XX*	9W	6500	₹2,050
LD90-141-XXX-65-XX*	12W	6500	₹2,145
LD90-191-XXX-65-XX**	15W	6500	₹2,255
LD90-231-XXX-65-XX***	18W	6500	₹2,585

* Cutout dimensions: *Ø125mm | **Ø145mm | ***Ø165mm. Also available in 4000K CCT.



Gimball | LD56

Recessed mounted LED COB downlighter with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD56-251-060-40-XX*	20W	4000	₹4,690
LD56-381-060-40-XX**	32W	4000	₹5,550
LD56-501-060-40-XX***	42W	3000	₹6,650

* Cutout dimensions: *Ø115mm | **Ø135mm | ***Ø154mm. Also available in beam angles: 16°, 24°, 36°.



Gimball | LD58

Recessed mounted LED COB downlighter with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD58-251-060-40-XX*	20W	4000	₹5,150
LD58-381-060-40-XX**	32W	4000	₹6,050
LD58-501-060-40-XX***	41W	4000	₹8,090
LD58-521-060-30-XX	42W	4000	₹8,550

* Cutout dimensions: *95mm x 95mm | **135mm x 135mm | ***150mm x 150mm. Also available in beam angles: 16°, 24°, 36°.

**42w with LD58-521

***Also available in triple head options.





Track Light | LD54

High efficiency track light with reflector optics for optical excellence. Special track locking system to ensure proper mounting on track.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD54-251-024-57-XX	20W	5700	₹6,590
LD54-351-024-57-XX	30W	5700	₹7,350
LD54-501-024-57-XX	40W	5700	₹8,450

- Available in 36°/60°, replace 24 with 36/60 in the above catalogue no.
- In 3000K/4000K, replace 57 with 30/40 in the above catalogue no.



Track Light | LD57

Track mounted LED COB luminaire with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD57-251-024-40-XX	20W	4000	₹6,590
LD57-381-024-40-XX	32W	4000	₹7,350
LD57-501-024-40-XX	41W	4000	₹8,450

- Also available in beam angles: 36°, 60°. Order suitable accessories as below.

Catalogue Reference No.	Wattage (W)	LP ₹
XTS5100	Single phase 1 mtr track	₹1,550
XTS5200	Single phase 2 mtr track	₹3,050
XTS51	Straight connector	₹450
SKB520	2 mtr single suspension	₹850



Swivel Projector | LD59

Recessed mounted adjustable LED COB downlighter with high efficacy. Housing made of extruded aluminium.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD59-251-036-40-XX*	20W	4000	₹6,250
LD59-381-036-40-XX**	32W	4000	₹7,090
LD59-501-036-40-XX***	41W	4000	₹9,050

- Cutout dimensions: *Ø110mm | **Ø140mm | *** Ø165mm. Also available in beam angles: 16°, 24°, 60°.

*inForm*TM



Contemporary collaborative suspended range

Communication. Collaboration. Inspiration. The inForm range of suspended luminaires creates an environment for all three to thrive. An elegant lighting solution for the modern workspace, the inForm collection keeps up with the evolving nature of work. Along with enhancing the ambience, these lights also integrate with automation systems. Suitable for both recreational and non-recreational areas of an office, the inForm range creates a positive, productive environment, while adding beauty to the surroundings.



wipro lighting



Orbit | LM230

Introducing the unique element of a circle for collaborative and informal spaces, to create an enigma of beauty.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter (mm)	LP ₹
LM230-481-XX-57-XW	20W	5700	400	Price on Request
LM230-671-XX-57-XW	25W	5700	600	Price on Request
LM230-821-XX-57-XW	30W	5700	800	Price on Request
LM230-481-XX-57-XB	20W	5700	400	Price on Request
LM230-671-XX-57-XB	25W	5700	600	Price on Request
LM230-821-XX-57-XB	30W	5700	800	Price on Request
LM230-481-XX-57-UW	20W	5700	400	Price on Request
LM230-671-XX-57-UW	25W	5700	600	Price on Request
LM230-821-XX-57-UW	30W	5700	800	Price on Request
LM230-481-XX-57-UB	20W	5700	400	Price on Request
LM230-671-XX-57-UB	25W	5700	600	Price on Request
LM230-821-XX-57-UB	30W	5700	800	Price on Request

- XB/UB-Black Housing | XW/UW-White Housing. Catalogue no. ending with UW/UB conforms to low UGR.
- Also available in DALI and 4000K CCT.




Orbit Ring | LM230R

Introducing the unique element of a circle for collaborative and informal spaces, to create an enigma of beauty.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter (mm)	LP ₹
LM230R-621-XX57-XW	35W	5700	600	Price on Request
LM230R-781-XX57-XW	40W	5700	800	Price on Request
LM230R-621-XX57-XB	35W	5700	600	Price on Request
LM230R-781-XX57-XB	40W	5700	800	Price on Request

- XB-Black Housing | XW-White Housing.
- Also available in DALI and 4000K CCT.






Hexa | LM23H

Introducing the unique element of a hexagon for collaborative and informal spaces, to create an enigma of beauty.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter (mm)	LP ₹
LM23H-621-XX-57-XW	25W	5700	600	Price on Request
LM23H-841-XX-57-XW	30W	5700	800	Price on Request
LM23H-621-XX-57-UW	35W	5700	600	Price on Request
LM23H-841-XX-57-UW	40W	5700	800	Price on Request
LM23H-621-XX-57-XB	25W	5700	600	Price on Request
LM23H-841-XX-57-XB	30W	5700	800	Price on Request
LM23H-621-XX-57-UB	35W	5700	600	Price on Request
LM23H-841-XX-57-UB	40W	5700	800	Price on Request

- XB/UB-Black Housing | XW/UW-White Housing. Catalogue no. ending with UW/UB conforms to low UGR.
- Also available in DALI and 4000K CCT.



Hexa Ring | LM23HR

Bring in an element of innovation and design with hexagonal rings of light in your space.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter (mm)	LP ₹
LM23HR-601-XX57-XW	35W	5700	600	Price on Request
LM23HR-781-XX57-XW	40W	5700	800	Price on Request
LM23HR-601-XX57-XB	35W	5700	600	Price on Request
LM23HR-781-XX57-XB	40W	5700	800	Price on Request

- XB/-Black Housing | XW-White Housing.
- Also available in DALI and 4000K CCT.



Arc | LM48

Classical conical pendant in vibrant color housing.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter (mm)	LP ₹
LM48-341-XXX-40-YL	30W	4000	610	Price on Request
LM48-341-XXX-40-BL	30W	4000	610	Price on Request
LM48-341-XXX-40-RD	30W	4000	610	Price on Request
LM48-341-XXX-40-WH	30W	4000	610	Price on Request
LM48-341-XXX-40-PR	30W	4000	610	Price on Request

- YL-Yellow Housing | BL-Black Housing | RD- Red Housing | PR- Purple housing | WH-White Housing.



Cone | LM45

Cone shape design for collaborative and informal spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Diameter (mm)	LP ₹
LM45-221-XXX-40-BL	20W	4000	460	Price on Request
LM45-221-XXX-40-RD	20W	4000	460	Price on Request
LM45-221-XXX-40-YL	20W	4000	460	Price on Request
LM45-221-XXX-40-WH	20W	4000	460	Price on Request
LM45-221-XXX-40-PR	20W	4000	460	Price on Request

- BL-Black Housing | RD- Red Housing | YL-Yellow Housing | WH-White Housing | PR- Purple housing.

wipro lighting



Trio Mesh | LM46

Sophisticated mesh design for collaborative and informal spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM46-341-XXX-40-WH	30W	4000	460	Price on Request
LM46-341-XXX-40-BL	30W	4000	460	Price on Request

• BL-Black Housing | WH-White Housing



Celeste | LM07

Large domes in greys and white, articulately crafted with textured finish and a soft floral contouring.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM07-221-D06-40-XX	20W	4000	600	Price on Request
LM07-221-D08-40-XX	20W	4000	800	Price on Request



Retro | LM55

A unique, dome shaped suspended luminaire range, to add innovative shapes and forms to collaborative spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM55-301-XXX-40-WH	30W	4000	450	Price on Request
LM55-301-XXX-40-BL	30W	4000	450	Price on Request
LM55-301-XXX-40-OR	30W	4000	450	Price on Request
LM55-301-XXX-40-PR	30W	4000	450	Price on Request
LM55-301-XXX-40-CY	30W	4000	450	Price on Request

• BL-Black Housing | WH-White Housing | OR-Orange Housing | PR-Purple Housing | CY-Cyan Housing.



Coral | LM56

A unique, dome shaped suspended luminaire range, to add innovative shapes and forms to collaborative spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM56-301-XXX-40-WH	30W	4000	300	Price on Request
LM56-301-XXX-40-BL	30W	4000	300	Price on Request
LM56-301-XXX-40-YL	30W	4000	300	Price on Request
LM56-301-XXX-40-PR	30W	4000	300	Price on Request
LM56-301-XXX-40-CY	30W	4000	300	Price on Request

• BL-Black Housing | WH-White Housing | YL- Yellow Housing | PR-Purple Housing | CY-Cyan Housing.

wipro lighting



Ozone | LM57

A unique, dome shaped suspended luminaire range, to add innovative shapes and forms to collaborative spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM57-301-XXX-40-BL	30W	4000	450	Price on Request
LM57-301-XXX-40-WH	30W	4000	450	Price on Request
LM57-301-XXX-40-RD	30W	4000	450	Price on Request




Dome 600 | LM92

A unique, dome shaped suspended luminaire range, to add innovative shapes and forms to collaborative spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM92-461-XXX-40-WH	40W	4000	600	Price on Request
LM92-461-XXX-40-BL	40W	4000	600	Price on Request
LM92-461-XXX-40-RD	40W	4000	600	Price on Request
LM92-461-XXX-40-YE	40W	4000	600	Price on Request

• WH-White Housing | BL-Black Housing | RD-Red Housing | YE-Yellow Housing.



Globe | LM49

Globe design for collaborative and informal spaces.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM49-141-XXX-30-XX	12W	3000	150	Price on Request



Umeko | LM05

Fabric based luminaire for collaborative and informal spaces.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LM05-D320-MC	LED Lamp	320	Price on Request

• Lamp of E27 base is to be ordered separately



Freya | LM06

Jute based luminaire for collaborative and informal spaces.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LM06-D450-BR	LED Lamp	450	Price on Request
LM06-D450-BR	LED Lamp	600	Price on Request

• Lamp of E27 base is to be ordered separately.



Sphere | LM84

The elegantly designed, suspended luminaire range, with easy to install light source (E27 Lamp holder), has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LM84-D300-CRWH	LED Lamp	300	Price on Request

• *Lamp of E27 base is to be ordered separately.




Semisphere | LM85

The elegantly designed, suspended luminaire range, with easy to install light source (E27 Lamp holder), has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LM85-D300-WHST	LED Lamp	300	Price on Request

• *Lamp of E27 base is to be ordered separately.



Dome | LM86

The elegantly designed, suspended luminaire range, with easy to install light source (E27 Lamp holder), has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LM86-D400-BLGD	LED Lamp	400	Price on Request

• *Lamp of E27 base is to be ordered separately.



Teardrop | LM87

The elegantly designed, suspended luminaire range, with easy to install light source (E27 Lamp holder), has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LM87-D320-BLGD	LED Lamp	320	Price on Request

• *Lamp of E27 base is to be ordered separately.



Hexadome | LM88

The elegantly designed, suspended luminaire range, with easy to install light source (E27 Lamp holder), has uncompromising and unparalleled design ethos.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LM88-D570-BLGD	LED Lamp	570	Price on Request

• *Lamp of E27 base is to be ordered separately.



Vertica | LD30

A premium lighting solution for open ceiling offices to create lighting effects that enrich such spaces. It adds glamour to collaborative spaces in new age offices.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	Diameter (mm)	LP ₹
LD30-201-36W-40-PL	20W	4000	330	74	Price on Request
LD30-301-36W-40-PL	30W	4000	330	96	Price on Request
LD30-101-36W-40-PS	10W	4000	150	54	Price on Request
LD30-201-36W-40-PS	20W	4000	165	74	Price on Request
LD30-301-36W-40-PS	30W	4000	185	96	Price on Request
LD30-20136W40CTSPS	20W	4000	165	74	Price on Request
LD30-101-36W-40-SS	10W	4000	150	54	Price on Request
LD30-201-36W-40-SS	20W	4000	165	74	Price on Request
LD30-301-36W-40-SS	30W	4000	185	96	Price on Request

• All variants are available in 60° beam angle. To order, replace 36 with 60 in the above catalogue no. Also, all variants are available in black housing.

• To order, replace W with B in the above catalogue no.

• PL: Pendant Long | PS: Pendant Short | SS: Surface mount.

wipro lighting



Halo Plus | LD99

Suspended/surface mounted, unique, tapered profile product; high on aesthetics and performance. Housing with micro-texture powder coating.

Catalogue Reference No.	Light source	Diameter (mm)	LP ₹
LD99-151-XXX57SMWH	12W	5700	₹4,350
LD99-211-XXX57SMWH	15W	5700	₹4,590
LD99-281-XXX57SMWH	18W	5700	₹4,950
LD99-151-XXX57SMBL	12W	5700	₹4,350
LD99-211-XXX57SMBL	15W	5700	₹4,550
LD99-281-XXX57SMBL	18W	5700	₹4,950
LD99-151-XXX57PMWH	12W	5700	₹4,850
LD99-211-XXX57PMWH	15W	5700	₹5,050
LD99-281-XXX57PMWH	18W	5700	₹5,350
LD99-151-XXX57PMBL	12W	5700	₹4,850
LD99-211-XXX57PMBL	15W	5700	₹5,050

- Analog/DALI dimmable and white colour tunable. Also available in 4000K CCT.
- SM-Surface mount | PM- Pendant mount | WH -White housing | BL - Black housing.



inSync™

[MIND + BODY + LIGHT]



Wipro's human-centric lighting solutions.

Workplaces are becoming agile and smarter. Personalized user control, actionable insights into space optimization, way finding, hot desking and meeting room bookings, are some of the outcomes being looked at. In addition to this, modulation of color of light - impacting circadian rhythm & wellness of the employees, are gaining popularity.




RECESSED
LUMINAIRE RANGE

wipro lighting

Transform workspaces from
constant to dynamic lighting

Enhance employee
wellbeing and productivity

Work with multiple platforms
PoE, DALI or Bluetooth



The **WELL Building Standard™ (WELL)** provides guidelines that minimize disruption to the body's circadian system, enhance productivity, support good sleep quality and provide appropriate visual acuity. In line with these, Wipro Lighting has developed enhanced focus on **inSync™** - our **human-centric lighting solution** intended to promote a person's well-being, mood and health. It can improve concentration, safety and efficiency in workplaces or educational environments.

By changing the colour and/or intensity of light, we provide bio-dynamic, light-based, on human circadian rhythm for increased employee concentration, cognitive performance, alertness and in general well-being.

wipro lighting



Opus | LM38

Opus is a high-efficiency, elegant, fluidic and modern in design, LED luminaire with unique floating spherical diffuser and surrounding light chamber that subtly introduces a circular geometry into the ceiling plane.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM38-361-XXX-2765	32W	Tunable: 2700-6500	Price on Request

• Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.



Verge | LM29 (in white colour tunable)

Our high efficiency, recess mounted, luminaire with its minimalistic design, integrates into the ceiling, creating a unique volumetric lighting experience.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LM29-451-XXX-2765	33W	Tunable: 2700-6500	Price on Request

• Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.





Mollis | LD06

Mollis range with high performance and efficiency, adding options in flush/deep inset diffuser for volumetric lighting/visual comfort.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LD06-301-XXX-2765	24W	Tunable: 2700-6500	Price on Request



Immaculate Plus | CRCO10 (in white colour tunable)

High efficiency luminaire with 120 Lm/W efficacy helps in power saving.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
CRCO10R036HP2765	33W	Tunable: 2700-6500	Price on Request

* Frame to be ordered separately for installation in POP/gypsum ceiling. Catalogue no. for frame is 9180P01089-LP ₹1290.





Axeon | LM34

(in white colour tunable) (Bidirectional: Up/Down)

Suspended linear light solutions for contemporary workspaces. Extruded aluminium housing with high transmissivity HET diffuser for standalone and seamless end-to-end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-361-XXX-2765	29W	Tunable: 2700-6500	1200	Price on request
LM34-721-XXX-2765	58W	Tunable: 2700-6500	1200	Price on request

• Available in 4 feet and 8 feet variants.



Axeon | LM34

(in white colour tunable) (Unidirectional: Down)

Suspended linear light solutions for contemporary workspaces. Extruded aluminium housing with high transmissivity HET diffuser for standalone and seamless end-to-end connectivity.

Catalogue Reference No.	Wattage (W)	CCT (K)	Length (mm)	LP ₹
LM34-251-XXX-2765	20W	Tunable: 2700-6500	1200	Price on request
LM34-501-XXX-2765	40W	Tunable: 2700-6500	1200	Price on request



inSync™ Touch Panel

Scene select for customised

4 Scene + Dimming + Colour Tuning and ON/OFF

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
192HW+290W+402 (White colour)	Dimming + Colour Tuning + Scene Select	Tunable: 2700-6500	Price on request
192HB+290B+402 (Black colour)	Dimming + Colour Tuning + Scene Select	Tunable: 2700-6500	Price on request
191HW+290W+402 (White colour)	Dimming + Scene Select	Tunable: 2700-6500	Price on request
191HB+290B+402 (Black colour)	Dimming + Scene Select	Tunable: 2700-6500	Price on request

LIGHTING CONTROLS



Smart occupancy, touchless workspace.

A smart workspace is an intelligent ecosystem that relies on a number of connected devices; monitor, control and manage various working operations and conditions. Wipro Lighting believes, working environment and peoples' needs are integrated and converge at every level. Sensor adds a dynamic aspect to lighting applications, making it more efficient, comfortable and convenient. Sensors are a key factor in the smart and connected workspace.





eSense Group Light sensor - Smart PIR Occupancy Sensor

Catalogue Reference No.	Mount	LP ₹
GLPS01R010A	Recess	₹5,550
GLPS01S010A	Surface	₹6,150
GLPS01P010A	Pendant	₹6,550

Smart PIR occupancy detector with Switching Photocell

Catalogue Reference No.	Mount	LP ₹
GLPS02R010A	Recess	₹6,890
GLPS02S010A	Surface	₹7,350
GLPS02P010A	Pendant	₹7,650

Smart Daylight PIR occupancy detector, with DALI output

Catalogue Reference No.	Mount	LP ₹
GLPSDA01R010A	Recess	₹8,790
GLPSDA01S010A	Surface	₹9,190
GLPSDA01P010A	Pendant	₹9,450

Smart Daylight PIR occupancy detector, with ANALOG output

Catalogue Reference No.	Mount	LP ₹
GLPSAN01R010A	Recess	₹8,950
GLPSAN01S010A	Surface	₹9,290
GLPSAN01P010A	Pendant	₹9,550

• Ordering a remote for group light sensors is mandatory.

Smart Dimmable Sensor with PIR Presence Detector - PoE (Power Over Ethernet)

Catalogue Reference No.	Mount	LP ₹
GLPSIGAN01R010A	Recess	₹-
GLPSIGAN01S010A	Surface	₹-
GLPSIGAN01P010A	Pendant	₹-


• Ordering a remote for group light sensors is mandatory.



IR Remote

Catalogue Reference No.	LP ₹
GLPS01R010A	₹890

Catalogue Reference No.	LP ₹
SDC-IR-REMO	₹890



eSense Wall Mount Light sensor-

Smart PIR Occupancy Sensor

Catalogue Reference No.	Mount	LP ₹
WMPS01R010A	Recess	Price on Request

Wall mounted occupancy detector with Switching Photocell

Catalogue Reference No.	Mount	LP ₹
WMPS02R010A	Recess	Price on Request

Wall mounted PIR occupancy detector with DALI output

Catalogue Reference No.	Mount	LP ₹
WMPSDA01R010A	Recess	Price on Request

Wall mounted PIR occupancy detector with ANALOG output

Catalogue Reference No.	Mount	LP ₹
WMPSAN01R010A	Recess	Price on Request



MAPIQ


A one-stop solution for employers to ensure a healthy and safe working environment for their employees. This software is designed to enable flexibility and maximize the utilization of office space for employees.

Organizations need to align schedules and working patterns of employees and their teams. Employees need to be confident about working safely. They need to have prior information about the spaces they access as well as availability of conference rooms for conducting meetings. Keeping employees informed real-time and ensuring they are evenly spread in the office is essential.





With Office Shifts technology, organizing teams together, anticipating and updating office capacity quickly, is simply hassle-free. The software is available as a subscription-based model (SaaS). It can be scaled and upgraded depending on the policy changes organizations need to make.



ULTRARAY™

Disinfect | Sterilize | Decontaminate



Protection Powered with high germicidal ultra violet light

Applications:



Hospitality



Modern Workspaces




Healthcare Facilities



Manufacturing & Warehousing



Protect employee health and wellness in workplaces.
 Wipro Lighting brings to you ULTRARAY™ - UltraViolet (UV) Lighting Solution to help you disinfect your workplaces and assure you complete peace of mind.



A solution that can compliment the current protection measures deployed to disinfect the workplace more effectively and protect employee health and safety.




UV lights that disinfect air and surfaces

Bacteria and Virus can remain airborne for long periods. With limited or no ventilation, this infected air gets re-circulated multiple times in an indoor workplace.

In the new normal, disinfection of frequently touched places and objects is a major concern. UV light is the latest and most effective technology to prevent the spread of infection, due to bacteria and viruses, by disinfecting surfaces.





CLEANROOM & STERILE AREAS



Lighting solutions to facilitate perfect vision for ZERO error zones.

Lighting in the zero containment zone plays a critical role in complying with the stringent norms of cleanrooms. With over 25+ years of experience in lighting and being the pioneer of lighting for cleanroom facilities in India, the Vision LED range of cleanroom luminaires have been developed with thorough understanding of the application and its requirements. Developed keeping in mind the varied requirements of cleanroom application, the Vision range comprises of multiple options to suit user requirements, like Top maintainable/ Bottom maintainable, Recess/Surface mounting, cutout dimensions, bottom frame material, etc... We have successfully illuminated majority of the cleanroom facilities across pharmaceutical, food & beverages, electronics and semi-conductor industries across the country.





Vision LED BOCR | LC20

Recess mounted, bottom opening cleanroom LED luminaire.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LC20-191-XXX-57-G2*	20W	5700	₹6,990
LC20-411-XXX-57-G2**	30W	5700	₹9,850
LC20-551-XXX-57-G2***	42W	5700	₹10,990
LC20-721-XXX-57-G2***	60W	5700	₹13,050

- Also available with dimming, surface mounting, screwless bottom frame, stainless steel bottom frame, dual CCT & Monochromatic.
- Cutout Dimensions: *285mm x 285mm | ** 495mm x 495mm | *** 585mm x 585mm.



APPLIED FOR
PATENT

Vision+ LED TOCR | LC37

Recess mounted, top opening cleanroom luminaire. Self alignment mounting mechanism, equipped with pressure plates.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LC37-191-080-57-XX*	20W	5700	₹18,050
LC37-411-080-57-XX**	30W	5700	₹21,550
LC37-551-080-57-XX**	42W	5700	₹22,550
LC37-721-080-57-XX**	60W	5700	₹23,550
LC37-102-080-57-XX**	80W	5700	₹24,550

- Cutout Dimensions: * 300mm x 300mm | ** 600mm x 600mm.
- Above codes are suitable for 80mm ceiling thickness. For 50mm ceiling thickness, replace 080 with 050 in the above codes.
- Also available with dimming, stainless steel bottom frame, dual CCT & Monochromatic.





MANUFACTURING PLANTS & INDUSTRIES



Enhanced productivity and safety with reduced Total Cost of Ownership.

Labor safety and high productivity is of utmost importance when it comes to industrial lighting. The heavy-duty operations carried out in manufacturing units calls for ergonomic, efficient and economic lighting solutions.

Wipro's best-in-class industrial lighting solutions, are specifically designed to deliver high light output with low energy consumption and a maintenance-free, long service life. This results in enhanced employee productivity, building positivity and promoting workplace safety with reduced Total Cost of Ownership (TCO).





Radial UNO | LH21

Designed to deliver optimum performance under harsh industrial environments, to provide significant and sustained energy savings over the product life cycle, resulting in enhanced productivity and safety.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH21-122-060-57-XX	80W	5700	₹19,550
LH21-162-060-57-XX	100W	5700	₹24,450
LH21-192-060-57-XX	120W	5700	₹26,690
LH21-222-060-57-XX	140W	5700	₹28,990
LH21-262-060-57-XX	160W	5700	₹36,590
LH21-292-060-57-XX	180W	5700	₹38,690
LH21-322-060-57-XX	200W	5700	₹39,650
LH21G-122-60-57-XX	80W	5700	₹21,390
LH21G-162-60-57-XX	100W	5700	₹26,850
LH21G-192-60-57-XX	120W	5700	₹29,350
LH21G-222-60-57-XX	140W	5700	₹31,850
LH21G-262-60-57-XX	160W	5700	₹39,990
LH21G-292-60-57-XX	180W	5700	₹42,290
LH21G-322-60-57-XX	200W	5700	₹43,290
LH21R-122-60-57-XX	80W	5700	₹23,390
LH21R-162-60-57-XX	100W	5700	₹29,350
LH21R-192-60-57-XX	120W	5700	₹31,850

• Also available in 90° beam angle, LH21G - with toughened glass, LH21R - with reflector.






Radial Square | LH20

High lumen output, SMD LED highbay with innovatively designed aluminium heat sink for excellent thermal management.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH20-102-060-57-XX	80W	5700	₹17,690
LH20-122-060-57-XX	100W	5700	₹22,250
LH20-132-060-57-XX	120W	5700	₹24,250
LH20-172-060-57-XX	140W	5700	₹26,390
LH20-192-060-57-XX	150W	5700	₹29,690
LH20-202-060-57-XX	165W	5700	₹33,290
LH20-212-060-57-XX	180W	5700	₹34,490
LH20-272-060-57-XX	200W	5700	₹35,650

• Also available in 90° beam angle.



Xpressbay Pro

True to its name, the XpressBay Pro is a pro in the areas of optical performance, sustainability, application diversity and durability.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH26C-102-120-57XX	80W	5700	₹19,190
LH26C-142-120-57XX	100W	5700	₹25,150
LH26C-172-60-57-XX	120W	5700	₹33,590
LH26C-242-60-57-XX	150W	5700	₹38,350
LH26C-262-60-57-XX	180W	5700	₹43,350
LH26C-282-60-57-XX	200W	5700	₹49,890

• Also available in 30° beam angle.



Arrow | LH23

Recess mounted under canopy, for oil retails.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LH23L-102-60-57-XX	80W	5700	₹13,190

• Also available in 30° beam angle.



Xline Pro | LE14

Trunk mounted LED channel, specially designed extruded aluminium trunk with snap fit arrangement, for easy and flexible installation.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE14-491-XXX-57-XX	39W	5700	₹9,450

• Order trunk separately.

wipro lighting



Trunk for Xline Pro | LE14

Pre-wired aluminum trunk with suspension.

Catalogue Reference No.	Length (W)	LP ₹
LE14A02C	1.77 Mtr	₹3,090

• Order trunk separately.



Xline Neo | LE10

High performance industrial channel.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE10-491-XXX-57-XX	39W	5700	₹5,050



Xline Neo | LE10

Surface/Pendant mounted IP65 linear luminaire.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE23-491-XXX-57-XX	40W	5700	₹6,390
LE23-251-XXX-57-2F*	20W	5700	₹3,350

• Length:2ft.



Optima | LL24

Technical linear industrial batten with high efficacy, for modern high-tech industrial environment.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LL24-541-XXX-57-XX	40W	5700	₹2,750
LL24-541-XXX-57-CD	40W	5700	₹2,850
LL24R-541-XXX-57-XX	40W	5700	₹4,150
LL24R-541-XXX-57-CD	40W	5700	₹4,290
LL24-251-XXX-57-XX	20W	5700	₹2,650
LL24-251-XXX-57-CD	20W	5700	₹2,750
LL24R-251-XXX-57-XX	20W	5700	₹3,950

wipro lighting

LL24R-251-XXX-57-CD	20W	5700	₹4,050
LL24-251-XXX-572F	20W	5700	₹2,490
LL24-251-XXX-57-CD2F	20W	5700	₹2,590
LL24R-251-XXX-57-2F	20W	5700	₹2,790
LL24R-251-XXX-57-CD2F	20W	5700	₹2,850

• Order in CD code for conduit mounting; LL24R for with reflector; 2F for 2 feet.



Maxx

A revolutionary design redefining the wellglass category.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LE09-501-XXX-57-XX	35W	5700	₹4,850
LE09-571-XXX-57-XX	40W	5700	₹5,150
LE09-671-XXX-57-XX	55W	5700	₹8,550



Bulkhead | LW07

IP65 luminaire for surface/wall mounted applications.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW07-141-XXX-57-G1	10W	5700	₹2,190



OUTDOOR LIGHTING



Streetlights, Floodlights and Landscape lighting range.

Modern lifestyle has impacted our schedules stretching their way into midnight. This has increased the need for illuminating outdoor spaces uniformly and efficiently.

Wipro Lighting provides a vast range of outdoor lighting luminaires with special features, particularly designed to meet wide ranging lighting needs.

The precision optical design and uniform light distribution enhance safety on roads.

Our luminaires have advanced LED technology for higher energy savings with contemporary styling that blends with urban architecture.



STREET LIGHTING



Skyline | LR02

High performance IP66 LED Streetlight, housing made of die-cast aluminium, with street optic lens, for uniform light distribution.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR02-261-XXX-57-XX	20W	5700	₹3,350
LR02-291-XXX-57-XX	25W	5700	₹3,790
LR02-331-XXX-57-XX	30W	5700	₹4,250
LR02-451-XXX-57-G1	40W	5700	₹7,650
LR02-501-XXX-57-G1	45W	5700	₹8,050

wipro lighting



Skyline | LR02

High performance LED streetlight, contemporary designed housing made of die-cast aluminium, with street optic lens, for uniform light distribution. Rated IP66.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR02-501-XXX-57-G3	45W	5700	₹9,250
LR02-671-XXX-57-G3	60W	5700	₹10,650
LR02-781-XXX-57-G3	70W	5700	₹11,090
LR02-981-XXX-57-G2	80W	5700	₹11,650
LR02-102-XXX-57-G2	90W	5700	₹13,090
LR02-112-XXX-57-G2	100W	5700	₹13,850
LR02-122-XXX-57-G3	110W	5700	₹14,950
LR02-132-XXX-57-G3	120W	5700	₹15,890
LR02-182-XXX-57-G2	150W	5700	₹28,050
LR02-212-XXX-57-G2	180W	5700	₹29,490
LR02-242-XXX-57-G2	200W	5700	₹30,890
LR02-262-XXX-57-G2	220W	5700	₹34,850
LR02-292-XXX-57-G2	250W	5700	₹37,250



Skyline+ | LR06

IP66 streetlight, compact and aesthetic aluminium powder coated housing with precise street optics lens.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR06-241-XXX-57-XX	18W	5700	₹2,950
LR06-311-XXX-57-XX	25W	5700	₹3,250



Skyline+ | LR06

IP66 streetlight, compact and aesthetic aluminium powder coated housing with precise street optics lens.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR06-501-XXX-57-XX	35W	5700	₹4,490
LR06-611-XXX-57-XX	45W	5700	₹5,050



Skyline+ | LR06

IP66 streetlight, compact and aesthetic aluminium powder coated housing with precise street optics lens.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR06-981-XXX-57-XX	80W	5700	₹8,790
LR06-102-XXX-57-XX	90W	5700	₹9,550
LR06-112-XXX-57-XX	100W	5700	₹10,250



Skyline+ | LR13

IP66 streetlight, compact and aesthetic aluminium powder coated housing with precise street optics lens.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR13-671-XXX-57-XX	60W	5700	₹6,950
LR13-781-XXX-57-XX	70W	5700	₹7,690




Dot | LR08

Streetlight with aesthetic aluminium powder coated housing and precise street optics lens, IP66 protection and IK10 impact resistance.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR08-501-XXX-57-XX	35W	5700	₹4,390
LR08-611-XXX-57-XX	45W	5700	₹4,950
LR08-651-XXX-57-XX	50W	5700	₹5,550
LR08-781-XXX-57-XX	60W	5700	₹5,750

AREA LIGHTING
UNIFORM ILLUMINATION IN LARGE PUBLIC SPACES



Alpha Floodlight | LF19

IP66 luminaire with aluminium die-cast housing, toughened glass and unique lens system, for enhanced illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF19-711-060-57-XX	60W	5700	₹10,190



Alpha Floodlight | LF34

IP66 luminaire with aluminium die-cast housing, toughened glass and unique lens system, for enhanced illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF34-132-060-57-XX	120W	5700	₹18,750

wipro lighting



Alpha Floodlight | LF20

IP66 luminaire with aluminium die-cast housing, toughened glass and unique lens system, for enhanced illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF20-102-060-57-G3	80W	5700	₹13,750
LF20-122-060-57-G2	100W	5700	₹16,390
LF20-192-060-57-G2	150W	5700	₹24,390
LF20-392-060-57-G3	300W	5700	₹45,290
LF20-442-060-57-G2	350W	5700	₹57,090
LF20-502-060-57-G4	400W	5700	₹61,490
LF20-622-060-57-G3	500W	5700	₹69,290



Ranger | LF30

IP66 luminaire with Fresnel diffuser, for wide angle light distribution and superior illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF30-571-XXX-57-XX	40W	5700	₹9,550
LF30-651-XXX-57-XX	50W	5700	₹9,850
LF30-781-XXX-57-XX	60W	5700	₹9,950





NEW

Ranger | LF30

IP66 luminaire with precise flood optics, for wide angle light distribution and superior illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF30-272-060-57-XX	200W	5700	₹33,050
LF30-342-060-57-G1	250W	5700	₹42,550



NEW

Ranger | LF30

IP66 luminaire with precise flood optics, for wide angle light distribution and superior illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF30-622-060-57-XX	500W	5700	₹73,990



NEW

Ranger | LF30

IP66 luminaire with precise flood optics, for wide angle light distribution and superior illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF30-932-060-57-XX	750W	5700	₹86,990



NEW

Ranger | LF30

IP66 luminaire with precise flood optics, for wide angle light distribution and superior illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF30-123-060-57-XX	1000W	5700	₹99,990

LANDSCAPE LIGHTING
 CONTEMPORARY DESIGN AND LIGHTING SOLUTIONS FOR VIBRANT OUTDOORS



NEW

Urbano Pathway | LP05

Pressure die-cast aluminium housing with specially designed optics, provide uniform light distribution to redefine outdoors and enhance architectural design.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LP05-501-XXX-30-G1	45W	3000	₹28,990
LP05-711-XXX-30-G1	60W	3000	₹29,990

wipro lighting



Vista | LP09

Pure polyester powder coated aluminum housing with 3600 wide light distribution.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LP09-431-XXX-57-XX	35W	5700	₹19,090
LP09-501-XXX-57-XX	45W	5700	₹19,390



Vista | LP09S

Streetlight distribution optics with aesthetically designed pathway lighting, to beautify your surrounding.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LP09S-431-XX-57-XX	35W	5700	₹19,250
LP09S-501-XX-57-XX	45W	5700	₹19,590
LP09S-671-XX-57-XX	60W	5700	₹19,990



Post Top | LP07

Pure polyester UV resistant powder coated, die-cast aluminium housing with PMMA clear diffuser, for uniform illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LP07-251-XXX-57-CL	20W	5700	₹8,190
LP07-431-XXX-57-CL	35W	5700	₹9,750
LP07-501-XXX-57-CL	45W	5700	₹13,450
LP07-671-XXX-40-CL	60W	4000	₹19,190



Post Top LED | LP02

Pure polyester UV resistant powder coated, die-cast aluminium housing with PMMA diffuser, for uniform illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LP02-501-XXX-57-XX	45W	5700	₹16,750



Whistling Oyster | LB12

Path directional reflector with PC diffuser and extruded aluminium, powder coated bollard, provide uniform illumination for pathways. Sound module is also available as an option to enlighten surroundings with musical notes.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LB12-880-XXX-65-05	7W	6500	₹9,450
LB12-880-XXX-65-08	7W	6500	₹9,650
LB12-880-SPK-65-08	7W	6500	₹21,890
LB12-131-XXX-65-05	11W	6500	₹9,550
LB12-131-XXX-65-08	11W	6500	₹9,850
LB12-131-SPK-65-08	11W	6500	₹22,090

- Catalogue no. bearing "SPK" is with speaker option.
- Option of 3000K CCT is available.
- Catalogue no. ending with: 05 - Height 500mm; 08 - Height 800mm.
- Need to use a Line Matching transformer of 75V/100V System for large SPK installation (In Customer Scope).



Whistling J | LB13

Whistling J is a premium LED bollard, with optically designed reflector and indirect-direct, downward directional, high performance, smartly designed asymmetric lighting for landscapes.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LB13-880-XXX-65-05	7W	6500	₹9,450
LB13-880-XXX-65-08	7W	6500	₹9,650
LB13-880-SPK-65-08	7W	6500	₹21,890
LB13-131-XXX-65-05	11W	6500	₹9,550
LB13-131-XXX-65-08	11W	6500	₹9,850
LB13-131-SPK-65-08	11W	6500	₹22,090

- Catalogue no. bearing "SPK" is with speaker option.
- Option of 3000K CCT is available.
- Catalogue no. ending with: 05 - Height 500mm; 08 - Height 800mm.
- Need to use a Line Matching transformer of 75V/100V System for large SPK installation (In Customer Scope).



Fantasy Bollard | LB14

Bollard, made of extruded aluminium housing, to redefine landscapes with better light quality and enhance architectural design. Rated IP65.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LB14-880-XXX-65-05	7W	6500	₹8,890
LB14-880-XXX-65-08	7W	6500	₹9,050
LB14-131-XXX-65-05	11W	6500	₹9,450

- Option of 3000K CCT is available.



Gardenia | LF05

Compact and aesthetic, polyester coated aluminium, housed in ground/bushlight, offers safe and vibrant parking areas, pathways and gardens, with high illumination and soothing experience.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF05-450-036-27-XX	6W	2700	₹7,490
LF05-600-036-27-XX	8W	2700	₹7,650

• Also available in 24° and 55° beam angles.

ARCUS



Premium outdoor architectural lighting solution.

With the advent of latest technologies in lighting,


Lighting is much beyond mere illumination. Coloured beams and patterns bring in a strong element of grandeur in facades and structures.

With a view to expand outdoor usability and beauty, enhance architectural focal points, improve safety and security and to increase property value, Wipro introduces:

Arcus - Premium Outdoor Architectural Lighting Solutions for contour, accent and facade lighting applications.



wipro lighting



ARCUS Linear Wall Washer | LF01

Extruded aluminium, powder coated IP66 linear wall washer, to accentuate the artwork on entrances and walls.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF01-181-030-30-05	20W	3000	Price on request
LF01-361-030-30-10	40W	3000	Price on request

- Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF01-181-030-CC-05	20W	RGB	Price on request
LF01-361-030-CC-10	40W	RGB	Price on request

- Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
- Colour changing luminaires have to be used with DMX controller.




ARCUS Linear Light Bar | LF03

Extruded aluminium, powder coated IP66 linear light bar, enlightens the wall grazing applicable area with bright and soothing light distribution.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF03-601-XXX-30-05	9W	3000	Price on request
LF03-601-XXX-60-05	9W	6000	Price on request
LF03-121-XXX-30-10	17W	3000	Price on request
LF03-121-XXX-60-10	17W	6000	Price on request

- Driver to be ordered separately.



ARCUS Flexi Strip Light | LS27

Flexible, frosted, encapsulated IP68 strip light, with homogeneous and light spot free illumination.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LS27-005-120-WW-50	10W/mtr	3000	Price on request

- Driver to be ordered separately. Length of the spool: 4 mtr.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LS27-005-120-CC-50	10W/mtr	RGB	Price on request

- Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
- Colour changing luminaires have to be used with DMX controller.



ARCUS Floodlight - Mini | LF04

Aluminium die-cast housing with high purity lens, offers facade lighting with superior performance and glare free light distribution, enhancing accent lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF04-181-030-30-XX	12W	3000	Price on request
LF04-181-030-30-XX	20W	3000	Price on request
LF04-501-030-30-XX	40W	3000	Price on request

- Driver to be ordered separately. Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF04-181-030-CC-XX	12W	RGB	Price on request
LF04-251-030-CC-XX	20W	RGB	Price on request
LF04-501-030-CC-XX	40W	RGB	Price on request

- Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
- Colour changing luminaires have to be used with DMX controller.



ARCUS Inground Light | LI20

Aluminium die-cast light with high purity lens, for illuminating pathways enhancing the safe and vibrant areas.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LI20-600-030-30-XX	6W	3000	Price on request
LI20-111-030-30-XX	12W	3000	Price on request
LI20-231-030-30-XX	18W	3000	Price on request

- Driver to be ordered separately; Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LI20-600-030-CC-XX	6W	RGB	Price on request
LI20-111-030-CC-XX	12W	RGB	Price on request
LI20-231-030-CC-XX	18W	RGB	Price on request

- Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
- Colour changing luminaires have to be used with DMX controller.



ARCUS Under Water Light | LU03

Hard chrome plated stainless steel with silicon sealed glass, offers colourful illumination for waterbodies in architectural and landscape areas.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LU03-950-030-30-XX	6W	3000	Price on request
LU03-211-030-30-XX	18W	3000	Price on request
LU03-371-030-30-XX	36W	3000	Price on request

• Driver to be ordered separately. Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LU03-950-030-CC-XX	6W	RGB	Price on request
LU03-211-030-CC-XX	18W	RGB	Price on request
LU03-371-030-CC-XX	36W	RGB	Price on request

• Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
 • Colour changing luminaires have to be used with DMX controller.



ARCUS Wall Light | LW31/32

Extruded aluminium wall light, for exterior wall grazing.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW31-211-022-30-XX	18W	3000	Price on request
LW31-211-022-60-XX	18W	6000	Price on request
LW32-321-022-30-XX	24W	3000	Price on request
LW32-321-022-60-XX	24W	6000	Price on request

• Driver to be ordered separately. Replace 30 with 60 in the above catalogue nos. for 6000K CCT.



ARCUS Wall Light | LW33

Die-cast aluminium wall light, for exterior wall grazing.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LW33-101-025-30-XX	12W	3000	Price on request

• Driver to be ordered separately. Replace 30 with 60 in the above catalogue nos. for 6000K CCT.



ARCUS Floodlight | LF27

Aluminium die-cast floodlight with high light output and performance, for facade and monument lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF27-601-040-30-XX	58W	3000	Price on request
LF27-901-040-30-XX	85W	3000	Price on request
LF27-122-040-30-XX	113W	3000	Price on request

• Driver to be ordered separately. Replace 30 with 60 in the above catalogue nos. for 6000K CCT.

Colour Changing Solutions

Aluminium die-cast floodlight with high light output and performance, for facade and monument lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF27-601-040-CC-XX	58W	RGB	Price on request
LF27-901-040-CC-XX	85W	RGB	Price on request
LF27-122-040-CC-XX	113W	RGB	Price on request

• Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
 • Colour changing luminaires have to be used with DMX controller.



ARCUS Floodlight Mega | LF28

P66 flood light with die-cast aluminium housing and glare free wide angle illumination, for facade and monument lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF28-142-040-30-XX	158W	3000	Price on request
LF28-242-040-30-XX	286W	3000	Price on request
LF28-482-040-30-XX	580W	3000	Price on request


• *Order driver separately. Available in 6500 K CCT options.

Colour Changing Solutions

P66 flood light with die-cast aluminium housing and glare free wide angle illumination, for facade and monument lighting.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LF28-142-040-CC-XX	158W	RGB	Price on request
LF28-242-040-CC-XX	286W	RGB	Price on request
LF28-482-040-CC-XX	580W	RGB	Price on request

• *Driver and DMX controller to be ordered separately. DMX controller codes are provided in accessories.
 • Colour changing luminaires have to be used with DMX controller.



IP67 Plug-socket T connector (one pair)

Catalogue Reference No.	Wattage (W)	LP ₹
C-T-2C-IP67	Plug-socket connector (one pair) T Connector for 2Cx1mm ²	Price on request
C-T-4C-IP67	IP67 Plug-socket connector (one pair) T Connector for 4Cx0.75	Price on request

- This T connector is to be used when multiple luminaires are to be controlled with a single driver.
- C-T-2C-IP67 - 2 core T connector for mono colour luminaire. C-T-4C-IP67 - 4 core T connector for RGB luminaire.



IP67 Plug-socket S connector

Catalogue Reference No.	Wattage (W)	LP ₹
C-S-2C-IP67	IP67 Plug-socket connector (one pair) S Connector for 2Cx1mm ²	Price on request
C-S-4C-IP67	IP67 Plug-socket connector (one pair) S Connector for 4Cx0.75mm ²	Price on request

- This T connector is to be used when multiple luminaires are to be controlled with a single driver.
- C-S-2C-IP67 - 2 core S connector for mono colour luminaire. C-S-4C-IP67 - 4 core S connector for RGB luminaire.



Driver

Catalogue Reference No.	Output Wattage (W)	Output	LP ₹
LPV-35-24	35W	24V DC	Price on request
LPV-60-24	60W	24V DC	Price on request
LPV-100-24	100W	24V DC	Price on request
LPV-150-24	150W	24V DC	Price on request



Driver

Catalogue Reference No.	Output Wattage (W)	Output	LP ₹
XLG-100I-24-A	100W	24V DC	Price on request
XLG-150I-24-A	150W	24V DC	Price on request
XLG-200I-24-A	200W	24V DC	Price on request
XLG-75I-H-A	75W	22V DC-54V DC	Price on request
XLG-100I-H-A	100W	22V DC-54V DC	Price on request
XLG-150I-H-A	150W	22V DC-54V DC	Price on request
XLG-200I-H-A	200W	22V DC-54V DC	Price on request
XLG-240I-H-A	240W	22V DC-54V DC	Price on request



IP67 Plug-socket S connector

Catalogue Reference No.	Wattage (W)	LP ₹
LG70-360-3M-24V	3- Channel Main Controller 24/48VDC input/output, max. 360W(24/48V)	Price on request
LG70-360-3E-24V	3-Channel Expander 24/48VDC input/output, max. 360W(24/48V)	Price on request
LG70-360-3M-48V	-	Price on request


- All colour-changing luminaires require a DMX controller. DMX controller is to be ordered along with the luminaire.
- LG70-360-3E - This is an expander which is to be used to repeat the same sequence and programming done by the main DMX controller.

SolaRISE^{KT}++



All-in-One Integrated Solar Streetlights

Solar Streetlights have gone through many steps of transformation. Every advancement in technology has made these streetlights more efficient and reliable in operation. Wipro SolaRISETM drives this journey of evolution further with the latest range of streetlights, designed for modern infrastructure in the country.





All-in-one Integrated Solar Streetlights | LR19

High efficiency, eco-friendly streetlight with compact aesthetic construction and easy installation capability.

Catalogue Reference No.	Wattage (W)	CCT (K)	LP ₹
LR19-221-XXX-57-XX	12W	5700	₹41,590
LR19-281-XXX-57-XX	15W	5700	₹48,750
LR19-331-XXX-57-XX	18W	5700	₹55,950
LR19-371-XXX-57-XX	20W	5700	₹72,350
LR19-461-XXX-57-XX	25W	5700	₹74,850
LR19-561-XXX-57-XX	30W	5700	₹79,290
LR19-751-XXX-57-XX	40W	5700	₹91,450
LR19-931-XXX-57-XX	50W	5700	₹1,10,450
LR19-112-XXX-57-XX	60W	5700	₹1,30,690
LR19-132-XXX-57-XX	70W	5700	₹1,36,590
LR19-152-XXX-57-XX	80W	5700	₹1,42,650
LR19-162-XXX-57-XX	90W	5700	₹1,87,750
LR19-182-XXX-57-XX	100W	5700	₹2,01,950
LR19-222-XXX-57-XX	120W	5700	₹2,25,790

- For hybrid operation, all-in-one integrated solar streetlight replace XX with HY in the above catalogue no.
- Additional LP of ₹6000 for hybrid.
- Other CCT options available on request.
- Prices given are exclusive of poles and to be ordered separately. Subject to minimum order quantity.

Items to be phased-out (available till stocks last)

Series Catalogue	Reference No.	Wattage (W)
Axeon (Bidirectional: Up/down)	LM34-361-XXX-57WG1	30W
	LM34-361XXX-57WCG1	30W
	LM34-721-XXX-57WG1	60W
	LM34-721XXX-57WCG1	60W
Axeon (Unidirectional: Down)	LM34-251-XXX-57WG1	20W
	LM34-251XXX-57WCG1	20W
	LM34-401-XXX-57WG1	30W
	LM34-401XXX-57WCG1	30W
	LM34-501-XXX-57WG1	40W
	LM34-501XXX-57WCG1	40W
	LM34-801-XXX-57WG1	60W
	LM34-801XXX-57WCG1	60W
Axeon Angular	LM34-141300Y57WCG1	15W
	LM34-930300V57WCG1	10W
	LM34-930300L57WCG1	10W
	LM34-930300T57WCG1	15W
Inspiro	LM41-481-XXX-40-XX	40W
Fokus	LD31-111-035-40-SR	9W
	LD31-111-035-40-WH	9W
	LD31-151-035-40-SR	12W
	LD31-151-035-40-WH	12W
	LD31-171-035-40-SR	15W
	LD31-171-035-40-WH	15W
	LD31-221-035-40-SR	18W
	LD31-221-035-40-WH	18W
Helix	LD91-141-XXX-65-XX*	11W
	LD91-201-XXX-65-XX*	15W
t25	LM68-341-XXX-40-BL	30W
	LM68-341-XXX-40-YL	30W
	LM68-341-XXX-40-OR	30W
Microwave Movement Sensor	COM 20010	
	CDA20010	
	COM 20010	
	CDA20010	
Vision TOCR	LC30-411-XXX-57-G1	30W
	LC30-551-XXX-57-G1	42W
	LC30-721-XXX-57-G1	60W
	LC30-102-XXX-57-G1*	78W
	TFTC100	NA

Series Catalogue	Reference No.	Wattage (W)
Xpressbay	LH15-102-060-57-XX	75W
	LH15-142-060-57-XX	100W
	LH15-182-060-57-XX	130W
	LH15-282-060-57-XX	200W
Dura Wellglass	LE07-501-XXX-57-XX	35W
	LE07-112-XXX-57-XX	70W
Capsule	LE20-491-XXX-57-G1	40W
Capsule WIO83	WIO831208G1	
	WIO832208G1	
Urbano Pathway	LP05-711-XXX-65-XX	60W
Urbano Pathway	LP06-351-XXX-57-XX	35W
Mist	LM99-641-XXX-57-XX	32W
Ranger	LF30-392-060-57-XX	300W
	LF30-442-060-57-XX	350W


Terms and conditions

- Prices are in Indian rupees.
- MRP is inclusive of GST.
However authorized Wipro sales person/stockists can sell below the MRP.
- In case of LP, GST amount is not included. GST is to be added extra. However, authorized Wipro sales person/stockists can sell below the LP.
- All prices are subject to Wipro's general terms & conditions of business.
- Prices are subject to change without notice as per company discretion.
- This price list supersedes all earlier price lists.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.
- Goods are dispatched by us on purchaser's risk. All claims for loss, damage or shortage will be filed by the purchasers directly with the carriers.
- Orders should be placed in multiples of case lot.
- All orders shall be placed in writing.
- Items other than those included in the price list, stand phased out from the range.
- All fixtures will be supplied as per our normal specifications. For additional features please contact the nearest Wipro office for details.
- Disputes, if any, are subject to Pune jurisdiction only.
- Related wattage and CCT are nominal and BIS tolerance is applicable on the same. Innovation and improvement are a way of life at Wipro. All rights reserved. Reproduction of this data in part or in whole, without permission, is prohibited. Care has been taken to ensure that the information content within is correct. We reserve the right to modify the product without prior intimation. Photographs shown herein are indicative. Customers are advised to reconfirm the data or product dimensions, before purchase, with our local office.

Branch Offices

<p>E40/7 Okhla Industrial Area, Phase-II, New Delhi - 011020. Tel: 011 - 41708122/29</p>	<p>Lotus Corporate Park, Unit No 1401 – 1402, 14th Floor, C Wing, Graham Firth Steel Compound, Western Express Highway, Goregaon (E), Mumbai - 400 063. Tel: 022 - 62182000</p>
<p>No.139, 7th Cross, N S Palya, Off. Bannerghatta Road, Bangalore - 560 076. Tel.: 080-41503260</p>	<p>4th Floor, Svalar Square, 15, North Phase, Guindy Industrial Estate, Ekkaduthangal, Chennai - 600 032. Tel: +91 - 9940499275</p>
<p>3, Pretoria Street, 3rd Floor, Kolkata - 700 071. Tel: 033-4404 5886/87</p>	<p>Bhosale Heights, 1195/5, Fergusson College Road, Pune - 411 005. Tel: 020 - 2553 5081</p>
<p>Plot No.,13 A/1, Road No. 9, IDA East Division Nacharam, R. R. Dist., Hyderabad - 500 076. Tel: 040-2717 6082</p>	<p>Precto Pipes Compound, Village Jhungian, P.O. Dayalpura Sodhian, Dist. S. A. S. Nagar, Dayalpura - 140 603. Phone no : 09569933873/872/871, 09216108102</p>
<p>United Compound, A. B. Road, Dewas Naka, Indore - 452 010. Tel: 98279 99668</p>	<p>E/149, Transport Nagar, Lucknow Kanpur Road, Lucknow - 226 012. Tel: 0522-2434 352</p>
<p>Khata No. - 349/536, Plot No.-52, Andhei Sahi, New Industrial Estate, Jagatpur, Cuttack - 754 200. Phone no: +91 90070 34259</p>	<p>409 - 410, Scarlet Gateway, Opp. Rivera Anantilia, Corporate Road, Nr. Prahladnagar Garden, Satellite, Ahmedabad - 380 015. Tel: 079-40073546</p>
<p>Flat No. 8, Plot No. 191, 1st Floor, Rachna Apartment, Cement Road, Shivaji Nagar, Nagpur - 440 010. Tel: 0712 - 2569 878</p>	<p>Khasra No.48.49/2, Khedia Business Park, Tatibanth, Raipur - 492 099. Tel: 0771-3265 725</p>
<p>VI/409-D, Valomkottil Building, Opp. BMC, Sea Port - Air Port Road, P.O. Thrikkakkara, Cochin - 682 021. Tel: Ph: +91-9895708464</p>	<p>Plot No.-90/24, D-Block, IDA, Autonagar, Vizag - 530 012. Tel no: 9676908080</p>
<p>9/10, Sri Vankatram Complex, VLB Nagar, OPP VLB Arts & Science College, Kovaiipudur Road, Kuniimuthur, Coimbatore - 641 042. Tel: +91 - 80782 02741</p>	<p>B - 16/17, Palsania Complex, Near T B Hospital, Subhash Nagar Shopping Centre, Jaipur - 320 016. Tel: 0141-2280 014/4910 879</p>

wipro advantage



Business Office

Wipro Lighting, 5th floor, Godrej Eternia - C,
Old Pune-Mumbai Highway, Shivajinagar,
Pune - 411 005. India.
(T) 020-66098700, (F) 020-66098777
helpdesk.lighting@wipro.com

Registered Office

Wipro Enterprises (P) Limited
'Wipro House', No. 8,
7th Main, 80 Feet Road, Koramangala,
1st Block, Bangalore - 560 034.
Karnataka. India.

www.wiprolighting.com

Toll-free no: 1800-425-1969

Follow us on

IoL[®]
Internet of Lighting
A Wipro Brand

New Delhi: 011-41708121/29
Bangalore: 080-41503260
Hyderabad: 040-27176082
Lucknow: 0522-2434352
Indore (MP): 9827999668
Coimbatore: 1800-425-1969
Cochin: 1800-425-1969

Mumbai: 022-62182000
Kolkata: 033-44045886/87
Chandigarh: 0172-50018734
Baroda: 0265-2395830/35/36/41/45
Raipur (CG): 0771-3265725
Nagpur: 0712-2569878

Chennai: 1800-425-1969
Pune: 020-25535081
Jaipur: 1800-425-1969
Ahmedabad: 079-40073546
Bhubaneshwar: 1800-425-1969
Vishakhapatnam: 9676908080